





RESTAURANTS - CATERERS













robot / coupe

R 301 Ultra

FOOD PROCESSOR R301/R301 Ultra 1) CUTTER-MIXER FUNCTION

- When using the cutter-mixer function, the R301 and R301 Ultra allows you to perform all types of coarse and fine chopping, stuffings, emulsions, kneading and grinding.
- The **R301 Ultra** is equipped with a **pulse control** for optimum cutting precision.



- Lid easy to position on bowl for quick and simple use.
- The R301 and the R301 Ultra are both supplied with a straight knife (Photo 1) with a removable cover for easy cleaning. A serrated blade knife (Photo 2) designed for grinding and kneading tasks and a fine serrated blade (Photo 3) mainly for parsley chopping are available as an extra.
- Magnetic safety system and motor brake to stop the motor as soon as the lid is opened.

2) VEGETABLE PREPARATION FUNCTION

- The vegetable preparation attachment common to models R301 and R301 Ultra consists of a **vegetable preparation bowl and a lid made of ABS.** The bowl and the lid can be easily dismantled.
 - The vegetable preparation attachment is equipped with two hoppers:
 - A **large hopper** (area : 104 cm²) for the preparation of vegetables such as cabbage, celeriac, lettuce, tomatoes and grating cheese.

- A **cylindrical hopper** (Ø 58 mm) designed for long or fragile vegetables fiting an outstanding cut quality.

• Complete collection of **stainless steel discs** available to satisfy all your requirements for the preparation of fruit and vegetables, comprising: slicing, julienne and ripple cutting and grating.

• Sling plate designed to ensure perfect ejection and optimum care of delicate products.

• Magnetic safety system and motor brake to stop the motor as soon as the bowl or lid is opened.

FOOD PROCESSORS



• 2 Machines in 1 !

A cutter bowl and a vegetable preparation attachment on the same motor base.

• Indispensable :

The R301 and R301 Ultra easily chops, grinds, kneads, mixes and thanks to its complete selection of 23 stainless steel discs, grates, slices and juliennes to perfection. It can perform any number of tasks, which you will gradually discover as you use it.

• High performance :

Less than 2 minutes are needed to make a bowl of mayonnaise, a steak tartare, a carrot puree or a fruit compote.

• Robust :

Industrial induction motor for heavy duty to guarantee longer life machine and reliability.

CITRUS PRESS FUNCTION

The citrus-press extracts the juice of oranges, lemons, grapefuits and others. It consists of a grey basket and cone. It can be easily mounted on the cutter bowl. Easy to assemble use and clean. The citrus press attachment gives you the opportunity

1







Number of covers: 10 to 70.



Target : Restaurants, Caterers.

In brief :

- Efficient, robust and fast, the range of Robot-Coupe Food processor's (12 models) will satisfy all the Professionals requirements for establishments serving from 10 to 400 covers.
- It will be a reliable investment in quality and time saving.

INDUCTION MOTOR

- A heavy duty commercial induction motor which ensures reliability and longer life machine.
- Motor built on ball bearings for a silent process, without any vibration.
 - Direct drive motor :
 - Extra power
 - No belt device
 - No maintenance
 - No brushes.
 - Stainless steel motor shaft.













| 2 machines in 1 | | | | |
|---------------------------------|-----------------------|--------------------|--------------------|--|
| | | R 301 | R 301 Ultra | |
| | MOTOR BASE | Single-phase | Single-phase | |
| | | 1 <i>5</i> 00 rpm | 1 <i>5</i> 00 rpm | |
| | | On / Off | On / Off / Pulse | |
| + | | | | |
| | | 3.5 litres | 3.5 litres | |
| | | ABS | Stainless Steel | |
| | | | | |
| VEGETABLE PREPARATION ATTCHMENT | | ABS | ABS | |
| | | Selection 23 discs | Selection 23 discs | |
| | | | | |
| | OPTIONAL CITRUS PRESS | ٠ | • | |

/





| | slicer 1 mm / ref. 27051 slicer 2 mm / ref. 27555 slicer 3 mm / ref. 27086 slicer 4 mm / ref. 27566 slicer 5 mm / ref. 27087 slicer 6 mm / ref. 27786 ripple cut 2 mm / ref. 27621 | | | |
|---|---|--|--|--|
| | julienne 2 × 2 mm / ref. 27599 julienne 2 × 4 mm / ref. 27080 julienne 2 × 6 mm / ref. 27081 julienne 4 × 4 mm / ref. 27047 julienne 6 × 6 mm / ref. 27048 | | | |
| | julienne 4 x 4 mm / ref. 27047 julienne 6 x 6 mm / ref. 27610 french fry disc 8 x 8 mm / ref. 27048 grater 1.5 mm / ref. 27588 grater 2 mm / ref. 27577 grater 3 mm / ref. 27511 grater 3 mm / ref. 27046 grater 9 mm / ref. 27078 potatoes grater / ref. 27078 radish grater 0,7 mm / ref. 27078 radish grater 1 mm / ref. 27078 parmesan grater / ref. 27764 | | | |
| CE | , , | | | |
| WEIGHT (without disc) net weight gross weight R301 13 kg 16 kg R301 13 kg 16 kg R301 14 kg 17 kg ELECTRICAL DATA Single-phase machine Rating 230 V/50 Hz - 650 W - 5.7 Amp. Operating speed 1500 Rpm. Other voltages available STANDARDS : MACHINES IN COMPLIANCE WITH : • The following European directives and related national legislation : 98/37/EEC, 73/23/EEC, 89/336/EEC, 89/109/EEC, 90/128/EEC. • The following European harmonized standards and standards setting out health and safety rules :EN 292 - 1 and - 2, EN 60204 -1 (1992), EN 12852, EN 1678. | F G F G G G G G G G G G G | | | |
| INDEXES OF PROTECTION : IP 55 for the switches. • IP 34 for the machines. | H 700 I 140 | | | |
| tire without notice in a constrained in the second | | | | |
| MADE IN FRANCE BY ROBOT-COUPE s.n.c. Head Office, French, Export and Marketing Department: Tel.: + 33 1 43 98 88 33 - Fax: + 33 1 43 74 36 26 18, rue Clément Viénot - BP 157 94305 Vincennes Cedex - France http://www.robot-coupe.fr - email : international@robot-coupe.com Robot-Coupe Australia: Tél.: 02-9417 6233 - Fax: 02-9417 6787 P.O. Box 146 - Northbridge NSW 1560 - http://www.robot-coupe.com.au Robot-Coupe U.K. ITD: Tel.: 020 8232 1800 - Fax: 020 8568 4966 2, Fleming Way, Isleworth, Middlesex TW7 6EU - http://www.robot-coupe.com Robot-Coupe U.S.A.: Ph.: 1-800-824-1646 - Fax: 601-898-9134 P.O. Box 16625 - Jackson, Mississippi 39236-6625 http://www.robotcoupeusa.com | DISTRIBUTOR: | | | |

Réf. 430 220 - 07/2001 - Anglais